

MASTERLINE

AQUA-KONTROL CONCENTRATE

For Mosquitoes, Flies and Gnats

An All Temperature, Quick Knockdown, Low Odor, Non-Corrosive Synergized Synthetic Pyrethroid for the Control of Adult Mosquitoes, in Residential, Recreational and Other Areas. Also for Use Against Biting and Non-Biting Midge and Black Flies.

For Application only by Public Health Officials and Trained Personnel of Mosquito Abatement Districts and Other Mosquito Control Programs

ACTIVE INGREDIENTS:

*Permethrin	20.0%
**Piperonyl Butoxide Technical	20.0%
INERT INGREDIENTS :	<u>60.0%</u>
TOTAL	100.0%

* (3-phenoxyphenyl)methyl(+/-)Cis/trans 3-(2,2-dichloroethenyl)2,2-Dimethyl cyclopropanecarboxylate.
Cis/trans ratio: min. 35% (+/-) *cis* and max. 65% (+/-) *trans*.
 **Equivalent to 80% (butylcarbityl)(6-propylpiperonyl) ether and 20% related compounds
 Contains 1.75 pounds of Permethrin and 1.75 pounds of Piperonyl Butoxide per gallon.

KEEP OUT OF REACH OF CHILDREN
CAUTION
 See Side Panel for Additional Precautionary Statements

“PRECAUCION AL USUARIO : Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente”

FIRST AID	
If Swallowed:	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

Net Contents:

Gallon _____

55 Gallon _____

PRECAUTIONARY STATEMENTS
HAZARDS TO DOMESTIC ANIMALS AND HUMANS

Harmful if swallowed. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated sites may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment and disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the area.

PHYSICAL AND CHEMICAL HAZARDS

Flash point: Non-flammable

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate, water food or feed by storage or disposal.

Pesticide Storage and Spill Procedures: Store product in its original labeled container in a cool, dry locked place designated for such insecticides and out of reach of children. Avoid exposure to extreme temperatures. In case of spillage, soak up with absorbent material such as sawdust, or fullers' earth, sweep up and place in a labeled container and dispose of as follows.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

AQUA – KONTROL CONCENTRATE NON-THERMAL AEROSOL (COLD FOG)

NOTICE- This product cannot be mixed with oil. Use only clean water. Contains no aromatic or aliphatic petroleum distillates.

Wear long sleeved shirt and long pants, socks and shoes.

AQUA-KONTROL CONCENTRATE stays fully in suspension and will not settle or separate under normal storage conditions. If, however, there are signs of separation, shake or agitate thoroughly to make a uniform mixture. Mixed product will stay in suspension and will not gelatinize or produce filter-clogging by-products.

AQUA-KONTROL CONCENTRATE acts similar to an oil based product. Minor adjustment of application equipment may be necessary to calibrate flow rate and droplet size.

AQUA-KONTROL CONCENTRATE is designed to be either diluted with water, or used undiluted, and applied as a ULV or Barrier spray. Do not apply this product with thermal fogging equipment. Do not exceed the maximum recommended # a.i. per acres. **AQUA-KONTROL CONCENTRATE** may be used to control adult mosquitoes, flies and gnats in mosquito control programs including, but not limited to residential, industrial, municipalities, parks, campsites, woodlands, athletic fields, golf courses, gardens, playground, recreational areas, waste areas and other places where mosquitoes occur. For best results, treat when insects are most active and conditions are conducive to keeping the fog close to the ground. Re-apply when recommended by Public Health Officials or Mosquito Abatement Districts.

AQUA-KONTROL CONCENTRATE can be applied over specific growing crops and range grasses prior to harvest for the control of adult mosquitoes and biting flies within or adjacent to these areas. Application can only be made where the following crops are present:

Almonds	Range Grasses
Apples	Leafy Vegetables
Broccoli	Lettuce
Brussels sprouts	Mushrooms
Cabbage	Onions, dry bulb
Celery	Peaches
Cauliflower	Pears
Cherries	Peppers, bell
Corn, fodder	Soybeans
Corn, forage	Tomatoes
Corn grain	Vegetables, cucurbit
Eggplant	Walnuts

In the treatment of corrals, feedlots, animal confinements/houses, swine lots, poultry ranges and zoos, cover any exposed drinking water, drinking fountains and animal feed before application. Do not contaminate non-approved sites with spray drift.

Do not apply this product within 100 feet (30 meters) of lakes and streams.

Both ground and aerial applications should be made when meteorological conditions are conducive to keeping the spray cloud close to the ground, such as when an air temperature inversion is present. Do not apply when wind speed exceed 10 mph. Applications during the cool hours of early morning or evening are preferable. Application in calm air conditions is to be avoided.

Droplet Size of AQUA-KONTROL CONCENTRATE application may be determined using the following procedure: Droplet size of **AQUA-KONTROL CONCENTRATE** should be measured using Teflon coated glass slides. An adequate volume of air should be sampled by using, for example, rotating rod samplers. Other sampling techniques, such as an A.I.M.-DC III Machine, may be used if authorized by local regulatory authorities. Slides are examined microscopically and the diameter of droplets measured in microns. Slides should be scanned until 100-200 droplets have been assessed. A spread factor of 0.61 should be used to correct droplet diameters. The largest droplet should not exceed 50 microns. The mass medium diameter (MMD) value of the droplets should be in the range of 5 to 30 microns in size.

AQUA-KONTROL CONCENTRATE ULV Non-Thermal Aerosol (cold fog) Application: To control mosquitoes, midges and blackflies, apply **AQUA-KONTROL CONCENTRATE** using any standard ULV ground applicator, with a swath width of 300 ft., capable of producing a non-thermal aerosol spray with droplets ranging in size from 5 to 30 micron in diameter. The optimum mass medium diameter (MMD) is 5 to 30 microns. Vary flow rates accordingly to vegetation density and mosquito population. Use higher flow rates in heavy vegetation or when populations are high. An accurate flow control system must be used to ensure proper flow rate. **AQUA-KONTROL CONCENTRATE** may also be applied by diluting with water and applying so as not to exceed the maximum pounds of active ingredient per acre as shown in the first column of the ULV table shown below. That table represents some recommended application rates for ground ULV applications. If an alternative dilution rate is required, adjust the flow rate accordingly, provided the droplet size and spectrum remains within label specifications. Do not exceed a flow rate of 20 oz./min. May be applied at truck speeds of 5 to 20 mph.

Conditions and Rates to use AQUA-KONTROL CONCENTRATE Undiluted for Mosquito Control

PERMETHRIN/PBO LBS. A.I./ACRE	APPLICATION RATES /FLUID OUNCES TO USE PER MINUTE		
	5 mph	10 mph	20 mph
0.007/0.007	1.5	3.1	6.2
0.0035/0.0035	0.75	1.5	3.1
0.00175/0.00175	0.4	0.75	1.5

Suggested Dilution Rates for AQUA-KONTROL CONCENTRATE

% CONCENTRATION	Parts AQUA-KONTROL	Parts Water
2%	1	9
4%	1	4

Suggested Flow (oz/min) and Use Rates for a 2% (1 to 9 Dilution Ratio) Product

PERMETHRIN/PBO LBS. A.I./ACRE	APPLICATION RATES /FLUID OUNCES TO USE PER MINUTE		
	5 mph	10 mph	20 mph
0.007/0.007	15.5	Not Recommended	Not Recommended
0.0035/0.0035	7.8	15.5	Not Recommended
0.00175/0.00175	3.9	7.8	15.5

Suggested Flow (oz/min) and Use Rates for a 4% (1 to 4 Dilution Ratio) Product

PERMETHRIN/PBO LBS. A.I./ACRE	APPLICATION RATES /FLUID OUNCES TO USE PER MINUTE		
	5 mph	10 mph	20 mph
0.007/0.007	7.75	15.5	Not Recommended
0.0035/0.0035	3.9	7.75	15.5
0.00175/0.00175	2.0	3.9	7.75

AS A BARRIER SPRAY USING A BACKPACK MISTER TYPE UNIT

For use in a non-thermal, portable, backpack equipment, apply **AQUA-KONTROL CONCENTRATE** with a motorized backpack mist blower adjusted to deliver particles of 50 – 100 Mass Medium Diameter. Use undiluted or diluted to achieve an application of 0.00175 / 0.00175 # a.i./acre. Use a 50 ft (15.2m) swath while walking at a speed of 2 mph (3.2 kph). If using a different speed, swath or dilution, do not exceed the maximum a.i./acre.

AERIAL APPLICATION

The use of aircraft specially equipped and capable of applying ULTRA LOW VOLUMES of **AQUA-KONTROL CONCENTRATE** may be necessary. Such applications should be at the discretion of the Public Health Officials, Mosquito Abatement Districts or others trained in outdoor mosquito and biting fly programs to protect public health. Applications cannot exceed the recommended rates.

Aerial applications should be by suitable aerial ULV equipment capable of producing droplets with an MMD of not more than 60 microns. Application should be made at an altitude range suitable to produce a swath width from 200 to 750 feet depending on the terrain and weather conditions. Fixed wing aircraft with flat fan or rotary nozzles, or rotary wing aircraft equipped with rotary nozzles, apply at a sufficient airspeed to deliver the appropriate amount of a.i./acre (from 0.00175 to 0.007 # a.i./acre) and to achieve the appropriate droplet range. **PROHIBITION FOR AERIAL USE: Not** for aerial application in Florida unless specifically authorized by the Bureau of Entomology and Pest Control, Florida Department of Agriculture and Consumer Services.

NOTICE: Buyer and user assume all risks and liability of use, storage and/or handling of this product not in accordance with the terms of this label

BUYER GUARANTEE LIMITED TO LABEL CLAIMS

Manufactured By:
Univar USA, Inc.
11149 Research Blvd., Suite 260
Austin, TX 78759

EPA Registration No. 73748-1
EPA Establishment No. 53883-TX-01